

| Universe | Operators |
|-------------|---------------------------|
| Туре | Verticality |
| Category | Carabiners And Quickdraws |
| Subcategory | Locking Carabiners |



VERTIGO TWIST-LOCK

The VERTIGO TWIST-LOCK connector is designed for use on the PROGRESS progression lanyards and DUAL CANYON CLUB and DUAL CANYON GUIDE canyoning lanyards. The excellent grip and automatic locking system make it easy to handle when passing intermediate anchors. The large opening and the Keylock system make it easy to connect. The VERTIGO TWIST-LOCK can be used with a TANGA positioning ring to help orient the carabiner to load the major axis, limit the risk of rotation, and keep it integrated with the ADJUST rope adjuster.



The TWIST-LOCK system is designed for passing intermediate anchors. It allows the connector to lock automatically when it closes and unlock with a simple rotation.



The Keylock system helps prevent the connector from accidentally snagging.



Short Description

Carabiner for PROGRESS progression lanyard and DUAL CANYON CLUB and DUAL CANYON GUIDE canyoning lanyards

| Selling Points | Connector designed for use at the end of PROGRESS, DUAL CANYON CLUB, or DUAL CANYON GUIDE lanyards Can be used with a TANGA positioning ring to help orient the carabiner to load the major axis, limit the risk of rotation, and keep it integrated with the ADJUST rope adjuster Easy to handle when passing intermediate anchors: Ergonomic shape provides excellent grip for the user TWIST-LOCK system allows the connector to lock automatically when it closes and unlock with a simple rotation Large opening makes it easy to connect Keylock system helps prevent accidental snagging H-frame: Provides superior strength-to-weight ratio Helps protect markings from abrasion | |
|----------------|---|--|
| Specification | • Material(s): Aluminum • Certification(s): CE EN 362 B, CE EN 12275 B, CE EN 12275 K, GB/T 23469 B, GB/T 23469 K | |

Specifications by reference

| Reference(s) | M041AA00 |
|---------------------|---------------|
| Weight | 77 g |
| Locking system | TWIST-LOCK |
| Major axis strength | 25 kN |
| Minor axis strength | 10 kN |
| Open gate strength | 8 kN |
| Gate opening | 25 mm |
| Made in | FR |
| Guarantee | 3 years |
| Inner Pack Count | 1 |
| Quantity Per Box | 20 |
| EAN | 3342540848566 |

Related product(s)

DUAL CANYON CLUB DUAL CANYON GUIDE PROGRESS ADJUST-Y PROGRESS ADJUST-I progression lanyard

