

**Onmiddellijke actie vereist**



Producten

Selecteer 3M™ DBI-SALA® Sealed-Blok™ zelfintrekbare reddingslijnen



**3M geeft deze "Stop gebruik en terugroep/vervanging of herstel" uit voor geselecteerde 3M DBI-SALA® Sealed-Blok™ zelfintrekbare reddingslijnen**



Als onderdeel van 3M's voortdurende toewijding aan het leveren van producten van hoge kwaliteit, stellen we onze klanten op de hoogte van de volgende informatie met betrekking tot geselecteerde 3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifelines (SRL's) met ophaalfunctie. 3M Personal Safety Division heeft een verouderingseffect geïdentificeerd dat van invloed kan zijn op de prestaties van de geselecteerde 175 ft 3M DBI-SALA® Sealed-Blok™ SRL's geproduceerd van januari 2022 tot oktober 2024.

Bovendien kunnen apparaten die in deze periode door 3M of een geautoriseerd servicecentrum (ASC) zijn gerepareerd, ook worden beïnvloed. Door middel van laboratoriumtests heeft 3M vastgesteld dat deze apparaten in geval van een val mogelijk niet vergrendelen zoals ontworpen, **waardoor de werknemer kan worden blootgesteld aan ernstig letsel of de dood. Er zijn geen meldingen van verwondingen die verband houden met dit probleem.**

De betrokken maten zijn alle varianten van de 85 ft (~26 M), 130 ft (~40 M) en 55 ft (~17 M) zelfintrekbare reddingslijnen, zie bijlage voor de volledige lijst van modellen die worden beïnvloed door deze kennisgeving van stopzetting van het gebruik.

Daarom sturen we deze kennisgeving van stopzetting van gebruik en terugroepactie / vervanging of herstel, zodat de geselecteerde 3M DBI-SALA® Sealed-Blok™ zelfintrekbare reddingslijnen onmiddellijk buiten gebruik worden gesteld. 3M werkt eraan om binnenkort vervangende product- en hersteloplossingen beschikbaar te hebben. Het niet lezen en opvolgen van alle instructies in verband met deze Verklaring kan leiden tot **ernstig letsel of de dood** van een gebruiker.

Instructies voor de juiste volgende stappen staan hieronder.

Gebruikers/eigenaren:

Stop direct met het gebruik van uw Sealed-Blok™. Volg de onderstaande stappen om te bepalen of uw product wordt beïnvloed:



**Stap 1.** Zoek het modelnummer op het metalen identificatielabel (zie foto 1). Als het modelnummer van uw apparaat wordt vermeld in bijlage B, gaat u verder met **stap 2**. Als het modelnummer niet is opgenomen in bijlage B, maakt het geen deel uit van de kennisgeving en kan het opnieuw in gebruik worden genomen.

**Stap 2.** Zoek de productie- en servicedatumgegevens op het metalen identificatielabel. Als het apparaat is vervaardigd OF onderhouden van januari 2022 tot oktober 2024, gaat u naar **stap 3**. Als het apparaat niet is vervaardigd of onderhouden tijdens de betreffende periode, maakt het geen deel uit van de kennisgeving en kan het worden geretourneerd voor gebruik. (Zie bijlage A voor het saneringsmerkteken op het etiket).

**Stap 3.** Om het proces voor het adresseren van de getroffen apparaten te starten, gaat u naar [www.3mbelgique.be/sealblokrecall](http://www.3mbelgique.be/sealblokrecall); or [www.3mbelgique.be/sealblokrecall](http://www.3mbelgique.be/sealblokrecall) en vul het intakeformulier in, dat u helpt te bepalen welke mogelijkheden er zijn voor uw situatie. Niet alle vervangings- of herstelopties zijn onmiddellijk beschikbaar op het moment van deze communicatie.

Distributeurs:

Neem na ontvangst van deze kennisgeving contact op met uw 3M Valbeveiligings Specialist voor een lijst van de betreffende producten die aan u zijn verkocht. Als u een van de betreffende 3M DBI-SALA® Sealed-Blok™ zelfintrekbare reddingslijnen op voorraad heeft, neem dan contact op met 3M Customer Service om een Return Material Authorization (RMA) in te stellen en creditering of vervanging van het product te ontvangen. **Stuur dit bericht onmiddellijk door naar al uw klanten die betreffende producten van u hebben gekocht en bied alle hulp die uw klanten nodig hebben om het proces te voltooien.**

Bijlage A – Aanvullende informatie over het afdichtingsblok™

3M DBI-SALA® Sealed-Blok™ zelfintrekbare reddingslijnen die zijn gesaneerd, hebben een "0" op het metalen identificatielabel in de buurt van het lotnummer of de fabricagedatum (zie afbeelding).



Generatie 1 Sealed-Blok™ zelfintrekbare levenslijnen, geproduceerd vóór 2015, hebben een afwijkende behuizing (druppelvorm). Ze maken geen deel uit van de kennisgeving en kunnen verder worden gebruikt en gerepareerd zoals aangegeven.



Bijlage B - Betrokken 3M™ DBI-SALA® Sealed-Blok™ zelfintrekbare reddingslijnen en bijbehorende statieffsystemen  
Onderdelenlijst

ID van 3M	Model nummer	Beschrijving
	3400862	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400862, Stainless Steel Cable, 85 ft
7100207463	3400965	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400965, Galvanized Cable, 130 ft
7012828686	3400169	3400169 SRL 85FT SS S40 420LB CAP OSHA
	3400967	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400967, Stainless Steel Cable, 130 ft
7012828687	3400172	3400172 SRL 130FT SS S40 420LB CAP OSHA
7012608831	3400867	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400867, Stainless Steel Cable, 85 ft
7012798841	3400860	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400860, Galvanized Cable, 85 ft
7100239631	3400881	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400881, Stainless Steel Cable, 85 ft
7100313913	3400972	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400972, Stainless Steel Cable, 130 ft
7012818994	3400895B	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400895B, Stainless Steel Cable, 25.6 m
7012818981	3400871	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400871, Galvanized Cable, 85 ft

ID van 3M	Model nummer	Beschrijving
7012691257	3400986	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400986, Stainless Steel Cable, 130 ft
7100276625	3400971	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400971, Galvanized Cable, 130 ft
	3400882	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400882, Stainless Steel Cable, 85 ft
7012601518	3400874	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400874, Stainless Steel Cable, 85 ft
7012819036	3400973B	3M™ DBI-SALA® Sealed-Blok™ 3 Way- Self-Retracting Lifeline 3400973B, Stainless Steel Cable, 39.6 m3M™ DBI-SALA® Sealed-BI
7012818976	3400863	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400863, Galvanized Cable, 85 ft
7012818985	3400876	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400876, Galvanized Cable, 85 ft
7012819032	3400968	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400968, Galvanized Cable, 130 ft
7100324056	3400171	3400171 SRL 130FT SS RTRVL BRKT S40 OSHA
7012818990	3400883	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400883, Stainless Steel Cable, 85 ft
7100313914	3400997	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400997, Stainless Steel Cable, 130 ft
7100324055	3400168	3400168 SRL 85FT SS RTRVL BRKT S40 420LB
7100323507	3400167	3400167 SRL 85FT SS RTRVL S40 420LB OSHA
7012819041	3400981	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400981, Galvanized Cable, 130 ft
7012819038	3400976	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400976, Galvanized Cable, 130 ft
7100239367	3400917	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400917, Stainless Steel Cable, 85 ft
7012819047	3400989B	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400989B, Stainless Steel Cable, 39.6 m
	3400987	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400987, Stainless Steel Cable, 130 ft
7100313912	3400880	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400880, Galvanized Cable, 85 ft
	3400975	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400975, Galvanized Cable, 130 ft
7012818965	3400844	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400844, Rope, 55 ft
7100313922	3400892	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400917, Stainless Steel Cable, 85 ft
	3400170	3400170 SRL 130FT SS RTRVL S40 420LBOSHA
	3400979	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400979, Stainless Steel Cable, 130 ft
7012818980	3400870	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400870, Galvanized Cable, 85 ft
7100310022	3400866	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400866, Galvanized Cable, 85 ft
7012819046	3400988	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400988, Stainless Steel Cable, 130 ft
7012818984	3400875	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400875, Galvanized Cable, 85 ft
7012818977	3400865	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400865, Stainless Steel Cable, 85 ft

7012818977	3400865	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400865, Stainless Steel Cable, 85 ft
	3400984	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400984, Stainless Steel Cable, 130 ft
7012818964	3400843	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400843, Rope, 55 ft
	3400886	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400886, Stainless Steel Cable, 85 ft
7012818991	3400887	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400887, Galvanized Cable, 85 ft
7012818986	3400879	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400879, Stainless Steel Cable, 85 ft
	3400991	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400991, Stainless Steel Cable, 130 ft
	3400813	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400813, Stainless Steel Cable, 25 m
7012818983	3400874B	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400874B, Stainless Steel Cable, 85 ft
7012819004	3400913	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400913, Galvanized Cable, 85 ft
7012819033	3400970	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400970, Stainless Steel Cable, 130 ft
7012820470	8301037	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301037, 9 ft High, 85 ft Stainless Steel Cable
	3400912	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400912, Stainless Steel Cable, 85 ft
	3400819	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400819, Stainless Steel Cable, 40 m
7012828681	3400151	3400151 SRL 55FT RP RTRVL BRKT S40 ANSI
7012820476	8301049	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301049, 9 ft High, 85 ft Galvanized Cable
7012818995	3400897	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400897, Galvanized Cable, 25 m
7012819040	3400980	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400980, Galvanized Cable, 130 ft
	3400885	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400885, Galvanized Cable, 85 ft
7012818992	3400889	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400889, Stainless Steel Cable, 85 ft
7012819043	3400985	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400985, Galvanized Cable, 130 ft
7012819005	3400915	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400915, Stainless Steel Cable, 85 ft
	3400990	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400990, Galvanized Cable, 130 ft

ID van 3M	Model nummer	Beschrijving
7012819049	3400999	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400999, Stainless Steel Cable, 40 m
7012818996	3400898	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400898, Stainless Steel Cable, 25 m
7012820471	8301039	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301039, 9 ft High, 130 ft Stainless Steel Cable
	3400910	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400910, Galvanized Cable, 85 ft
7012828676	3400136	3400136 SRL 85FT GA S37 420LB ANSI
7012828677	3400138	3400138 SRL 130FT GA S37 420LB ANSI
7012828678	3400139	3400139 SRL 130FT SS S40 420LB ANSI
7012828682	3400152	3400152 SRL 85FT GA RTRVL S37 ANSI
7012828683	3400153	3400153 SRL 85FT GA RTRVL BRKT S37 ANSI
7012828684	3400157	3400157 SRL 130FT GA RTRVL BRKT S37 ANSI
7012828685	3400158	3400158 SRL 130FT SS RTRVL S40 420LBANSI
7012818932	3400164	3400164 SRL 130FT SS RSQ S40 END ANSI
	3400659	3400659 SBLOK 42M SS S40
	3400965B	3400965B SBLOK 130FT GA S37 420LB CA
	3400969	3400969 SBLOK 130FT SS S37 420LB CSA
	3400975B	3400975B SBLOK 130FT GA S37 420LB RTRVL
	3400978	3400978 SBLOK 130FT SS S37 420LB RTRVL
No 3M ID	3400982	3400982 SBLOK 130FT SS S37 420 RTRVL CSA
No 3M ID	3400983	3400983 SBLOK 130FT SS S37 420 RTRVL CSA
No 3M ID	3400993	3400993 SBLOK 130FT SS S37 RSQ
	3400995	3400995 SBLOK 130FT SS S37 RSQ CSA
	3400996	3400996 SBLOK RSQ GA 40M S37 C16 CE
No 3M ID	3401004B	3401004B SBLOK 130FT SS S40 RTRVL RSQ CA
No 3M ID	3401006	3401006 SBLOK 130FT SS S37 RTRVL RSQ CSA
	3401007	3401007 SBLOK 130FT SS S40 RTRVL RSQ CSA
No 3M ID	3401008	3401008 SBLOK 130FT GA S37 RTRVL RSQ CE
No 3M ID	3401009	3401009 SBLOK 130FT SS S40 RTRVL RSQ CE
	8301032	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301032, 7 ft High, 85 ft Galvanized Cable
	8301033	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301033, 7 ft High, 85 ft Stainless Steel Cable
	8301034	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301034, 7 ft High, 130 ft Galvanized Cable
	8301038	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301038, 9 ft High, 130 ft Galvanized Cable
	8301048	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301048, 7 ft High, 130 ft Stainless Steel Cable
No 3M ID	3400881/A	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400881/A, Stainless Steel Cable, 85 ft
	3400977	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400977, Stainless Steel Cable, 130 ft
	3400979B	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400979B, Stainless Steel Cable, 130 ft
	3400998	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400998, Galvanized Cable, 40 m
	3400873	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400873, Stainless Steel Cable, 85 ft

	3400911	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400911, Galvanized Cable, 85 ft
7100313962	3400916	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400916, Galvanized Cable, 25 m
	3401002	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3401002, Galvanized Cable, 130 ft
	3401003	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3401003, Stainless Steel Cable, 130 ft
	3401004	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3401004, Stainless Steel Cable, 130 ft
	3401005	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3401005, Galvanized Cable, 130 ft
	3400818	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400818, Stainless Steel Cable, 25 m
	3400886B	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400886B, Stainless Steel Cable, 85 ft
	3400891	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400891, Galvanized Cable, 85 ft
	3400991B	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400991B, Stainless Steel Cable, 130 ft
	3400992	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400992, Galvanized Cable, 130 ft
	3400994	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400994, Stainless Steel Cable, 130 ft
	3400816	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400816, Stainless Steel Cable, 40 m
	3400859	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400859, Galvanized Cable, 85 ft
	3400861	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400861, Stainless Steel Cable, 85 ft
	3400862B	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400862B, Stainless Steel Cable, 85 ft
	3400893	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400893, Stainless Steel Cable, 85 ft
	3400966	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400966, Stainless Steel Cable, 130 ft
	3400967B	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400967B, Stainless Steel Cable, 130 ft
	3400846	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline with Magnetic Retraction 3400846, Stainless Steel Cable, 50 ft
7012818928	3400154	3M. DBI-SALA® Sealed-Blok. Retrieval Self-Retracting Lifeline 3400154, Steel Cable, ANSI, 85 ft.
7012818929	3400155	3M. DBI-SALA® Sealed-Blok. Retrieval Self-Retracting Lifeline 3400155, With Bracket, Stainless Steel Cable, ANSI, 85 ft.
7012818934	3400166	3M. DBI-SALA® Sealed-Blok. RSQ Retrieval Self-Retracting Lifeline 3400166, Stainless Steel Cable, ANSI, 85 ft.
7012818931	3400163	3M. DBI-SALA® Sealed-Blok. RSQ Self-Retracting Lifeline 3400163, Stainless Cable, ANSI, 85 ft.
7012818920	3400137	3M. DBI-SALA® Sealed-Blok. Self-Retracting Lifeline 3400137, Stainless Steel Cable, ANSI, 85 ft.
No 3M ID	8301052	8301052 TRI/SRL 7FT GA 85FT
	8301095	8301095 TRI/SRL 9FT SS 85FT
	8301096	8301096 TRI/SRL 9FT GA 85FT
	8301099	8301099 TRI/SRL 9FT SS 130FT
	3400896B	RTRL 3V 25,5mSEL INOX
	3400918B	RTRL 3V 25m SEL RSQ

No 3M ID	3400990B	SRL 130' GALV RSQ2000180 END,CA(3400991B)
No 3M ID	3401028	SRL 130' GALV,RTRVL,RSQ9503163 END
	3400156	SRL 130' GALV,RTRVL2000180 END,420lb,ANSI
	3400159	SRL 130' SS,RTRVL,BRKT2000181 END,420lb,ANSI
	3400845	SRL 16.5mROPE RTRVL,BRKT2000181 END,CE
No 3M ID	3400868	SRL 25M 316SS2100127 END,CE
	3400859C	SRL 30' GALV,RTRVL,BRKT FLEMISH EYE,CSA
No 3M ID	3400885B	SRL 85' GALV,RSQ2000180 END,CA(3400886B)
No 3M ID	3400860B	SRL 85' GALV2000180 END,420lb CAP,CA
	3400878	SRL 85' SS RTRVL,BRKT2000180 END,420lbCAP,CSA
No 3M ID	3400877	SRL 85' SS RTRVL2000180 END,420lbCAP,CSA
	3400872	SRL 85' SS RTRVL2100042 END,420lb CAP
No 3M ID	3400888	SRL 85' SS,RSQ2000180 END
No 3M ID	3400890	SRL 85' SS,RSQ2000180 END,CSA
No 3M ID	3400914	SRL 85' SS,RTRVL,RSQ2000180 END,CSA
	3400912B	SRL 85' SS,RTRVL,RSQ2000181 END,CA(3400918B)
No 3M ID	3400864	SRL 85' SS2000180 END,420lbCAP,CSA

**Personal Safety Division**



**Action immédiate requise**



Produits concernés :

Antichutes à rappel automatique 3M™ DBI-SALA® Sealed-Blok™



**3M émet cet avis d'arrêt d'utilisation et de rappel/remplacement ou correction pour certains antichutes à rappel automatique 3M DBI-SALA® Sealed-Blok™**



Dans le cadre de l'engagement continu de 3M à fournir des produits de haute qualité, nous informons nos clients des informations suivantes concernant certains antichutes à rappel automatique 3M DBI-SALA®™. La division pour la protection individuelle de 3M a identifié un effet du vieillissement qui pourrait avoir une incidence sur le fonctionnement des antichutes à rappel automatique Sealed-Blok™ 3M DBI-SALA® produits de janvier 2022 à octobre 2024. De plus, tous les appareils réparés par 3M, ou un centre de service agréé (ASC), au cours de cette période peuvent également être affectés. À la suite d'essais en laboratoire, 3M a déterminé qu'en cas de chute, ces appareils peuvent ne pas se verrouiller comme prévu, **ce qui pourrait exposer le travailleur à des blessures graves ou à la mort. Aucune blessure n'a été signalée associée à ce problème.** Les modèles concernés sont toutes les variantes d'antichutes à rappel automatique de 85 pieds (~26m), 130 pieds (~40m) et 55 pieds (~17m), voir l'annexe pour la liste complète des modèles concerné par cet avis d'arrêt d'utilisation

Pour cette raison, nous envoyons cet avis d'arrêt d'utilisation et de rappel / remplacement ou réparation, de sorte que les antichutes à rappel automatique Sealed-Blok™ 3M DBI-SALA® sélectionnées sont immédiatement retirées™ du service. 3M s'efforce d'offrir bientôt des produits de remplacement et des solutions d'assainissement. Le non-respect de toutes les instructions associées au présent avis peut entraîner **des blessures graves ou la mort** d'un utilisateur. Vous trouverez ci-dessous des instructions à suivre pour les prochaines étapes.

Utilisateurs/Propriétaires :

Arrêtez immédiatement d'utiliser votre Sealed-Blok™. Pour savoir si votre produit est concerné, suivez les étapes ci-dessous :



**Étape 1a.** Localisez le numéro de modèle sur l'étiquette d'identification métallique (voir Photo 1). Si le numéro de modèle de votre appareil figure à l'annexe B, passez à l' **étape 2a**. Si le numéro de modèle n'est pas inclus dans l'annexe B, il ne fait pas partie de l'avis et peut être remis en service.



**Étape 2a.** Repérez les enregistrements de date de fabrication et d'entretien sur l'étiquette d'identification métallique. Si l'appareil a été fabriqué OU entretenu de janvier 2022 à octobre 2024, passez à l' **étape 3a**. Si l'appareil n'a pas été fabriqué ou entretenu pendant la période concernée, il ne fait pas partie de l'avis et peut être remis en service. (Voir l'annexe A pour la marque d'assainissement sur l'étiquette).

**Étape 3a.** Pour commencer le processus de traitement des appareils concernés, veuillez vous rendre sur [www.3mbelgique.be/sealblokrecall](http://www.3mbelgique.be/sealblokrecall); ou [www.3mbelgie.be/sealblokrecall](http://www.3mbelgie.be/sealblokrecall) et remplissez le formulaire d'admission qui vous aidera à déterminer les options qui s'offrent à vous dans votre situation. Toutes les options de remplacement ou de correction ne sont pas immédiatement disponibles au moment de la présente communication.

Distributeurs:

À la réception du présent avis, veuillez communiquer avec votre spécialiste antichute 3M pour obtenir une liste des produits concernés qui vous ont été vendus. Si vous avez en stock l'un des antichutes à rappel automatique 3M DBI-SALA® Sealed-Blok™ concernées, veuillez contacter le service à la clientèle de 3M pour obtenir une autorisation de retour de matériel (RMA) et recevoir un remboursement ou un remplacement du produit. **Veillez transmettre immédiatement cet avis à tous vos clients qui ont acheté des produits concernés chez vous et leur fournir toute l'assistance demandée pour mener à bien le processus.**

Annexe A – Renseignements supplémentaires sur Sealed-Blok™

<p>Les antichutes à rappel automatique scellées™ 3M DBI-SALA® qui ont fait l'objet d'une correction auront un « 0 » marqué sur l'étiquette d'identification métallique près du lot ou de la date de fabrication (voir image).</p>	
<p>Les antichutes à rappel automatique Sealed-Blok™ de génération 1, produites avant 2015, ont un boîtier différent (en forme de larme). Ils ne font pas partie de l'avis et peuvent continuer à être utilisés et réparés selon les directives.</p>	

Annexe B - Liste des pièces des antichutes à rappel automatique 3M™ DBI-SALA® Sealed-Blok™ et des systèmes de trépied connexes

Numéro d'identification 3M	Numéro de modèle	Description
	3400862	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400862, Stainless Steel Cable, 85 ft
7100207463	3400965	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400965, Galvanized Cable, 130 ft
7012828686	3400169	3400169 SRL 85FT SS S40 420LB CAP OSHA
	3400967	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400967, Stainless Steel Cable, 130 ft
7012828687	3400172	3400172 SRL 130FT SS S40 420LB CAP OSHA
7012608831	3400867	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400867, Stainless Steel Cable, 85 ft
7012798841	3400860	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400860, Galvanized Cable, 85 ft
7100239631	3400881	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400881, Stainless Steel Cable, 85 ft
7100313913	3400972	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400972, Stainless Steel Cable, 130 ft
7012818994	3400895B	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400895B, Stainless Steel Cable, 25.6 m
7012818981	3400871	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400871, Galvanized Cable, 85 ft

Numéro d'identification 3M	Numéro de modèle	Description
7012691257	3400986	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400986, Stainless Steel Cable, 130 ft
7100276625	3400971	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400971, Galvanized Cable, 130 ft
	3400882	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400882, Stainless Steel Cable, 85 ft
7012601518	3400874	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400874, Stainless Steel Cable, 85 ft
7012819036	3400973B	3M™ DBI-SALA® Sealed-Blok™ 3 Way- Self-Retracting Lifeline 3400973B, Stainless Steel Cable, 39.6 m
7012818976	3400863	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400863, Galvanized Cable, 85 ft
7012818985	3400876	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400876, Galvanized Cable, 85 ft
7012819032	3400968	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400968, Galvanized Cable, 130 ft
7100324056	3400171	3400171 SRL 130FT SS RTRVL BRKT S40 OSHA
7012818990	3400883	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400883, Stainless Steel Cable, 85 ft
7100313914	3400997	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400997, Stainless Steel Cable, 130 ft
7100324055	3400168	3400168 SRL 85FT SS RTRVL BRKT S40 420LB
7100323507	3400167	3400167 SRL 85FT SS RTRVL S40 420LB OSHA
7012819041	3400981	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400981, Galvanized Cable, 130 ft
7012819038	3400976	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400976, Galvanized Cable, 130 ft
7100239367	3400917	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400917, Stainless Steel Cable, 85 ft
7012819047	3400989B	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400989B, Stainless Steel Cable, 39.6 m
	3400987	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400987, Stainless Steel Cable, 130 ft
7100313912	3400880	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400880, Galvanized Cable, 85 ft
	3400975	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400975, Galvanized Cable, 130 ft
7012818965	3400844	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400844, Rope, 55 ft
7100313922	3400892	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400917, Stainless Steel Cable, 85 ft
	3400170	3400170 SRL 130FT SS RTRVL S40 420LBOSHA
	3400979	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400979, Stainless Steel Cable, 130 ft
7012818980	3400870	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400870, Galvanized Cable, 85 ft
7100310022	3400866	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400866, Galvanized Cable, 85 ft
7012819046	3400988	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400988, Stainless Steel Cable, 130 ft
7012818984	3400875	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400875, Galvanized Cable, 85 ft

7012818977	3400865	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400865, Stainless Steel Cable, 85 ft
7012818977	3400865	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400865, Stainless Steel Cable, 85 ft
	3400984	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400984, Stainless Steel Cable, 130 ft
7012818964	3400843	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400843, Rope, 55 ft
	3400886	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400886, Stainless Steel Cable, 85 ft
7012818991	3400887	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400887, Galvanized Cable, 85 ft
7012818986	3400879	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400879, Stainless Steel Cable, 85 ft
	3400991	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400991, Stainless Steel Cable, 130 ft
	3400813	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400813, Stainless Steel Cable, 25 m
7012818983	3400874B	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400874B, Stainless Steel Cable, 85 ft
7012819004	3400913	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400913, Galvanized Cable, 85 ft
7012819033	3400970	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400970, Stainless Steel Cable, 130 ft
7012820470	8301037	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301037, 9 ft High, 85 ft Stainless Steel Cable
	3400912	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400912, Stainless Steel Cable, 85 ft
	3400819	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400819, Stainless Steel Cable, 40 m
7012828681	3400151	3400151 SRL 55FT RP RTRVL BRKT S40 ANSI
7012820476	8301049	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301049, 9 ft High, 85 ft Galvanized Cable
7012818995	3400897	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400897, Galvanized Cable, 25 m
7012819040	3400980	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400980, Galvanized Cable, 130 ft
	3400885	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400885, Galvanized Cable, 85 ft
7012818992	3400889	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400889, Stainless Steel Cable, 85 ft
7012819043	3400985	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400985, Galvanized Cable, 130 ft
7012819005	3400915	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400915, Stainless Steel Cable, 85 ft
	3400990	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400990, Galvanized Cable, 130 ft
3M ID	Model Number	Description
7012691257	3400986	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400986, Stainless Steel Cable, 130 ft
7100276625	3400971	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400971, Galvanized Cable, 130 ft
	3400882	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400882, Stainless Steel Cable, 85 ft
7012601518	3400874	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400874, Stainless Steel Cable, 85 ft

7012819036	3400973B	3M™ DBI-SALA® Sealed-Blok™ 3 Way- Self-Retracting Lifeline 3400973B, Stainless Steel Cable, 39.6 m
7012818976	3400863	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400863, Galvanized Cable, 85 ft
7012818985	3400876	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400876, Galvanized Cable, 85 ft
7012819032	3400968	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400968, Galvanized Cable, 130 ft
7100324056	3400171	3400171 SRL 130FT SS RTRVL BRKT S40 OSHA
7012818990	3400883	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400883, Stainless Steel Cable, 85 ft
7100313914	3400997	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400997, Stainless Steel Cable, 130 ft
7100324055	3400168	3400168 SRL 85FT SS RTRVL BRKT S40 420LB
7100323507	3400167	3400167 SRL 85FT SS RTRVL S40 420LB OSHA
7012819041	3400981	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400981, Galvanized Cable, 130 ft
7012819038	3400976	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400976, Galvanized Cable, 130 ft
7100239367	3400917	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400917, Stainless Steel Cable, 85 ft
7012819047	3400989B	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400989B, Stainless Steel Cable, 39.6 m
	3400987	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400987, Stainless Steel Cable, 130 ft
7100313912	3400880	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400880, Galvanized Cable, 85 ft
	3400975	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400975, Galvanized Cable, 130 ft
7012818965	3400844	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400844, Rope, 55 ft
7100313922	3400892	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400917, Stainless Steel Cable, 85 ft
	3400170	3400170 SRL 130FT SS RTRVL S40 420LBOSHA
	3400979	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400979, Stainless Steel Cable, 130 ft
7012818980	3400870	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400870, Galvanized Cable, 85 ft
7100310022	3400866	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400866, Galvanized Cable, 85 ft
7012819046	3400988	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400988, Stainless Steel Cable, 130 ft
7012818984	3400875	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400875, Galvanized Cable, 85 ft
7012818977	3400865	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400865, Stainless Steel Cable, 85 ft
7012818977	3400865	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400865, Stainless Steel Cable, 85 ft
	3400984	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400984, Stainless Steel Cable, 130 ft
7012818964	3400843	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400843, Rope, 55 ft
	3400886	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400886, Stainless Steel Cable, 85 ft

7012818991	3400887	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400887, Galvanized Cable, 85 ft
7012818986	3400879	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400879, Stainless Steel Cable, 85 ft
	3400991	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400991, Stainless Steel Cable, 130 ft
	3400813	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400813, Stainless Steel Cable, 25 m
7012818983	3400874B	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400874B, Stainless Steel Cable, 85 ft
7012819004	3400913	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400913, Galvanized Cable, 85 ft
7012819033	3400970	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400970, Stainless Steel Cable, 130 ft
7012820470	8301037	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301037, 9 ft High, 85 ft Stainless Steel Cable
	3400912	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400912, Stainless Steel Cable, 85 ft
	3400819	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400819, Stainless Steel Cable, 40 m
7012828681	3400151	3400151 SRL 55FT RP RTRVL BRKT S40 ANSI
7012820476	8301049	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301049, 9 ft High, 85 ft Galvanized Cable
7012818995	3400897	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400897, Galvanized Cable, 25 m
7012819040	3400980	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400980, Galvanized Cable, 130 ft
	3400885	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400885, Galvanized Cable, 85 ft
7012818992	3400889	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400889, Stainless Steel Cable, 85 ft
7012819043	3400985	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400985, Galvanized Cable, 130 ft
7012819005	3400915	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400915, Stainless Steel Cable, 85 ft
	3400990	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400990, Galvanized Cable, 130 ft

Numéro d'identification 3M	Numéro de modèle	Description
7012819049	3400999	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400999, Stainless Steel Cable, 40 m
7012818996	3400898	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400898, Stainless Steel Cable, 25 m
7012820471	8301039	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301039, 9 ft High, 130 ft Stainless Steel Cable
	3400910	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400910, Galvanized Cable, 85 ft
7012828676	3400136	3400136 SRL 85FT GA S37 420LB ANSI
7012828677	3400138	3400138 SRL 130FT GA S37 420LB ANSI
7012828678	3400139	3400139 SRL 130FT SS S40 420LB ANSI

7012828682	3400152	3400152 SRL 85FT GA RTRVL S37 ANSI
7012828683	3400153	3400153 SRL 85FT GA RTRVL BRKT S37 ANSI
7012828684	3400157	3400157 SRL 130FT GA RTRVL BRKT S37 ANSI
7012828685	3400158	3400158 SRL 130FT SS RTRVL S40 420LBANSI
7012818932	3400164	3400164 SRL 130FT SS RSQ S40 END ANSI
	3400659	3400659 SBLOK 42M SS S40
	3400965B	3400965B SBLOK 130FT GA S37 420LB CA
	3400969	3400969 SBLOK 130FT SS S37 420LB CSA
	3400975B	3400975B SBLOK 130FT GA S37 420LB RTRVL
	3400978	3400978 SBLOK 130FT SS S37 420LB RTRVL
No 3M ID	3400982	3400982 SBLOK 130FT SS S37 420 RTRVL CSA
No 3M ID	3400983	3400983 SBLOK 130FT SS S37 420 RTRVL CSA
No 3M ID	3400993	3400993 SBLOK 130FT SS S37 RSQ
	3400995	3400995 SBLOK 130FT SS S37 RSQ CSA
	3400996	3400996 SBLOK RSQ GA 40M S37 C16 CE
No 3M ID	3401004B	3401004B SBLOK 130FT SS S40 RTRVL RSQ CA
No 3M ID	3401006	3401006 SBLOK 130FT SS S37 RTRVL RSQ CSA
	3401007	3401007 SBLOK 130FT SS S40 RTRVL RSQ CSA
No 3M ID	3401008	3401008 SBLOK 130FT GA S37 RTRVL RSQ CE
No 3M ID	3401009	3401009 SBLOK 130FT SS S40 RTRVL RSQ CE
	8301032	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301032, 7 ft High, 85 ft Galvanized Cable
	8301033	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301033, 7 ft High, 85 ft Stainless Steel Cable
	8301034	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301034, 7 ft High, 130 ft Galvanized Cable
	8301038	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301038, 9 ft High, 130 ft Galvanized Cable
	8301048	3M™ DBI-SALA® Confined Space Aluminum Tripod with 3-Way SRL 8301048, 7 ft High, 130 ft Stainless Steel Cable
No 3M ID	3400881/A	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400881/A, Stainless Steel Cable, 85 ft
	3400977	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400977, Stainless Steel Cable, 130 ft
	3400979B	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400979B, Stainless Steel Cable, 130 ft
	3400998	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline 3400998, Galvanized Cable, 40 m
	3400873	3M™ DBI-SALA® Sealed-Blok™ 3-Way Retrieval Self-Retracting Lifeline with Bracket 3400873, Stainless Steel Cable, 85 ft
	3400911	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400911, Galvanized Cable, 85 ft
7100313962	3400916	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3400916, Galvanized Cable, 25 m
	3401002	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3401002, Galvanized Cable, 130 ft
	3401003	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3401003, Stainless Steel Cable, 130 ft
	3401004	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3401004, Stainless Steel Cable, 130 ft



	3401005	3M™ DBI-SALA® Sealed-Blok™ RSQ 3-Way Retrieval Self-Retracting Lifeline 3401005, Galvanized Cable, 130 ft
	3400818	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400818, Stainless Steel Cable, 25 m
	3400886B	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400886B, Stainless Steel Cable, 85 ft
	3400891	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400891, Galvanized Cable, 85 ft
	3400991B	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400991B, Stainless Steel Cable, 130 ft
	3400992	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400992, Galvanized Cable, 130 ft
	3400994	3M™ DBI-SALA® Sealed-Blok™ RSQ Self-Retracting Lifeline 3400994, Stainless Steel Cable, 130 ft
	3400816	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400816, Stainless Steel Cable, 40 m
	3400859	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400859, Galvanized Cable, 85 ft
	3400861	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400861, Stainless Steel Cable, 85 ft
	3400862B	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400862B, Stainless Steel Cable, 85 ft
	3400893	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400893, Stainless Steel Cable, 85 ft
	3400966	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400966, Stainless Steel Cable, 130 ft
	3400967B	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline 3400967B, Stainless Steel Cable, 130 ft
	3400846	3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline with Magnetic Retraction 3400846, Stainless Steel Cable, 50 ft
7012818928	3400154	3M. DBI-SALA® Sealed-Blok. Retrieval Self-Retracting Lifeline 3400154, Steel Cable, ANSI, 85 ft.
7012818929	3400155	3M. DBI-SALA® Sealed-Blok. Retrieval Self-Retracting Lifeline 3400155, With Bracket, Stainless Steel Cable, ANSI, 85 ft.
7012818934	3400166	3M. DBI-SALA® Sealed-Blok. RSQ Retrieval Self-Retracting Lifeline 3400166, Stainless Steel Cable, ANSI, 85 ft.
7012818931	3400163	3M. DBI-SALA® Sealed-Blok. RSQ Self-Retracting Lifeline 3400163, Stainless Cable, ANSI, 85 ft.
7012818920	3400137	3M. DBI-SALA® Sealed-Blok. Self-Retracting Lifeline 3400137, Stainless Steel Cable, ANSI, 85 ft.
No 3M ID	8301052	8301052 TRI/SRL 7FT GA 85FT
	8301095	8301095 TRI/SRL 9FT SS 85FT
	8301096	8301096 TRI/SRL 9FT GA 85FT
	8301099	8301099 TRI/SRL 9FT SS 130FT
	3400896B	RTRL 3V 25,5mSEL INOX
	3400918B	RTRL 3V 25m SEL RSQ
No 3M ID	3400990B	SRL 130' GALV RSQ2000180 END,CA(3400991B)
No 3M ID	3401028	SRL 130' GALV,RTRVL,RSQ9503163 END
	3400156	SRL 130' GALV,RTRVL2000180 END,420lb,ANSI
	3400159	SRL 130' SS,RTRVL,BRKT2000181 END,420lb,ANSI
	3400845	SRL 16.5mROPE RTRVL,BRKT2000181 END,CE

No 3M ID	3400868	SRL 25M 316SS2100127 END,CE
	3400859C	SRL 30' GALV,RTRVL,BRKT FLEMISH EYE,CSA
No 3M ID	3400885B	SRL 85' GALV,RSQ2000180 END,CA(3400886B)
No 3M ID	3400860B	SRL 85' GALV2000180 END,420lb CAP,CA
	3400878	SRL 85' SS RTRVL,BRKT2000180 END,420lbCAP,CSA
No 3M ID	3400877	SRL 85' SS RTRVL2000180 END,420lbCAP,CSA
	3400872	SRL 85' SS RTRVL2100042 END,420lb CAP
No 3M ID	3400888	SRL 85' SS,RSQ2000180 END
No 3M ID	3400890	SRL 85' SS,RSQ2000180 END,CSA
No 3M ID	3400914	SRL 85' SS,RTRVL,RSQ2000180 END,CSA
	3400912B	SRL 85' SS,RTRVL,RSQ2000181 END,CA(3400918B)
No 3M ID	3400864	SRL 85' SS2000180 END,420lbCAP,CSA

**Division de la sécurité personnelle**





